Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3

COMPUTER CENTER NO.1 —— SYSTEM NO.1

NOVEMBER 1973



Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3

Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3

COMPUTER CENTER NO.2 —— SYSTEM NO.2

NOVEMBER 1973


2314 Direct Access Storage Facility
2314 Direct Access Storage Facility
Feature 8170, Two Channel Switch (Shared with System 3)
Four Channel Switch (Shared with Systems 1 and 3)
Selector Channel Three
(7-Track compatible)
2404 Model 2 Tape control
2404 Tape (800 BPI)
2401 Model 2 Tapes (800 BPI)
2401 Model 1 Tape (7-Track Head) (200,556,800 BPI)
2402 Model 2 Tapes (800 BPI)
Selector Channel Two
Feature 8170, Two Channel Switch (Shared with System 3)
2314 Direct Access Storage Facility
(Switchable between systems 2 and 3)
1288 OCR
2911 Switch
1052 Printer Keyboard
2821 Model 2 Control Unit
1403 Model N 1 Printer
360/50 512K
Multiplexor Channel
2703 Transmission Control Unit
Data Sets
Data Sets
Pairs and 5F50
(2703 switchable between systems 2 and 3)
2821 Model 1 Control Unit
2540 Card Read/Punch
1403 Model N 1 Printer
Selector Channel One
Feature 8170, Two Channel Switch (Shared with System 3)
2314 Direct Access Storage Facility

Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3

Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3

COMPUTER CENTER NO.2 ——— SYSTEM NO.3

NOVEMBER 1973


2314 Direct Access Storage Facility
2314 Direct Access Storage Facility
2314 Direct Access Storage Facility
Feature 8170, Two Channel Switch (Shared with System 2)
Feature 8170, Two Channel Switch (Shared with System 2)
Four Channel Switch (Shared with Systems 1 and 2)
Selector Channel Two
(2703 is Switchable between Systems 2 and 3)
2703 Trans. Control Unit
Data Sets
Data Sets
Pars and SF50
1403 Model N1 Printer
1052 Keyboard
360/40 448 K
Multiplexor Channel
2821 Model 5 Control Unit
2540 Card Read/Punch
2911 Switch
(Switchable between systems 2 and 3)
1288 OCR
1403 Model N1 Printer
7-Track Compatible
2404 Model 2 Tape Cont. Unit
2401 Model 2 Tape Units (800 BPI)
2401 Model 1 Tape (7-Track Head) (200,556,800 BPI)
2404 Tape (800 BPI)
Selector Channel One
Feature 8170, Two Channel Switch (Shared with System 2)
2314 Direct Access Storage Facility

Approved For Release 2001/05/23 : CIA-RDP84-00933R000300120023-3